Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/012122

International filing date: 11 April 2005 (11.04.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/561,480


Filing date: 12 April 2004 (12.04.2004)

Date of receipt at the International Bureau: 16 September 2005 (16.09.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





'and and and vandamentess; presents; searce, comes;

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

September 07, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/561,480

FILING DATE: April 12, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/12122

Certified by

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office

Please type a plus sign (+) inside this box	+	
---	---	--

PTO/SB/16 (5-03) Approved for use through 04/30/2003. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

S:

PROVISIONAL APPLICATION FOR PATENT COVER SHEET This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Ħ		11	VENTOR	(S)	· · · · · · ·	1. 40. 60.00.00	DT C	
Given Name (first and middle [if any])		Family Name or Surname		(City ar	Residence (City and either State or Foreign Country)			
STEVEN D. SCOTT J.	u.i.ygy	KIMMELL GERONDALE	, Carrianic	12754 DEON PLA	CE, GRAI	NADA HILLS, CA 91344-1001 DN VIEJO, CA 92692	22151 U.S.	
Additional inventors are be	ing named	on the sepa	rately numbe	red sheets attached h	ereto			
MULTI-SITE BLISTER INJECTIO			/ENTION (2	30 characters max)	_			
WOLTI-SITE BLISTER WASECTIC)N 3131E	<i>,</i>						
Direct all correspondence to:	CORRESPONDENCE ADDRESS						-	
Customer Number	26822 — → Place Colst Mer Number Bar Colst App Dere				r code De Garaga de la companya de l			
OR	Type Cust	omer Number here	<u> </u>		1	ENT TRADEMARK OFFICE		
Firm <i>or</i> Individual Name	WALTE	R A. HACKLER, P	h.D.					
Address	2372 S.E	. BRISTOL STRE	ET, SUITE E	3				
Address			,					
City	NEWPO	RT BEACH	State	CALIFORNIA	ZIP	92660-0755		
Country	us		Telephone	(949) 851-5010	Fax	(949) 752-1925		
	ENCL	OSED APPLICAT	ION PARTS	(check all that apply)			
Specification Number of Pages 7 CD(s), Number								
Drawing(s) Number of Sheets 2 Other (specify)								
Application Data Sheet. See 37 CFR 1.76 ASSIGNMENT; COVER SHEET								
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)								
A check or money order	is enclosed	to cover the filing t	lees			FILING FEE AMOUNT (\$)		
The Director is hereby authorized to charge filing								
fees or credit any overpayment to Deposit Account Number: \$160.00 Payment by credit card. Form PTO-2038 is attached.								
The invention was made by an a	gency of the	United States Gov	ernment or ι	inder a contract with a	n agency	of the		
United States Government.								
Yes, the name of the U.S. Gov	ernment age	ncy and the Governm	ent contract n	umber are:				
Respectfully submitted,	lh.			Date 04	1/12/200 ₀	4		
SIGNATURE	AFOR			REGIST	RATION	NO. 27,792		
TYPED or PRINTED NAME WALTER A. HACKLER (if appropriate)				\dashv				
	49) 851-5	010		Docket I	number:	3155P		

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



MULTI-SITE BLISTER INJECTION SYSTEM

The present invention is generally directed to the administration of a medicament and is more particularly directed to a multi-site injection system for dermal delivery of a medicament.

SUMMARY OF THE INVENTION

- A multi-site blister injection system in accordance with the present invention generally includes a carrier sheet including a plurality of medicament filled rupturable blister disposed on an inside surface thereof.
- A plurality of needles extending from the outside of the carrier stream is provided with each needle being aligned with a corresponding blister and having a lumen for transport of the medicament into a stratum corneum of a user.
- 20 Each of the needles is positioned for traversing the carrier sheet and rupturing the corresponding blister.

A pressure plate is disposed on the carrier sheet inside surface for forcing a blister against the needles for causing rupture thereof and forcing a medicament through the needle lumens.

In one embodiment of the present invention, the pressure plate is fixed to the carrier sheet and a foam pad is disposed

on the carrier sheet outside. Preferably, the foam pad covers the needles extending the carrier sheet outside and is penetrable by the needles.

The foam pad may be adhered to the pressure plate along a perimeter thereof for securing the carrier sheet between the foam pad and the pressure plate. Preferably, the medicament in accordance with the present invention comprises botulinum toxin.

10

15

25

BRIEF DESCRIPTION OF THE DRAWINGS

The advantages and features of the present invention will be better understood by the following description when considered in conjunction with the accompanying drawings in which:

Figure 1 is a perspective view of a multi-site blister injection system in accordance with the present invention generally showing a carrier sheet and a pressure plate disposed on an inside surface of the carrier sheet;

Figure 2 is an exploded perspective view of the system more clearly illustrating a carrier sheet with medicament filled blisters and a foam pad;

Figure 3 is a cross sectional view of the embodiments shown in Figures 1 and 2 more clearly illustrating a plurality of needles extending from the carrier sheet, a plurality of

10

25

rupturable blisters filled with a medicament, such as botulinum toxin, along with the pressure plate positioned for forcing the blisters against corresponding needles for causing rupture thereof and forcing medicament through needle lumens; and

Figure 4 is a cross sectional view similar to that shown in Figure 3 in which the pressure plate has been forced against the blisters and medicament is forced into the stratum corneum of a users skin.

DETAILED DESCRIPTION

With reference to Figures 1 and 2, there is shown a multi-site injection system 10 in accordance with the present invention showing a carrier sheet 12 along with a foam pad 14, see Figure 2. A pressure plate 16 is disposed on a carrier sheet inside surface 20 and the foam pad 14 may include an adhesive for holding the carrier sheet 12 against the pressure plate 16.

With reference to Figure 3 and 4, the carrier sheet 12 may be of conventional design and include blisters 24 filled with a medicament 26 as well as a plurality of protruding needles 30 extending from an outside surface 32 of the carrier sheet 12. Each of the needles which may be, for example, 28 gauge and having 2mm length and include lumens 36 for transport of medicament therethrough.

Each of the needles 30 is aligned with a corresponding blister 24 and each needle including a point 38 for rupturing of corresponding blisters 24.

As shown, the pressure plate preferably includes a plurality of berms 40 for providing enhanced pressure against blisters as the pressure plate 16 is forced against the blisters 24.

The foam pad 14 preferably has a depth equal to or slightly greater than the length of the needles 30 in order to prevent inadvertent contact with the needles before use.

In operation, as shown in Figure 4, when the pressure plate 16 is forced downwardly as indicated by the arrows 44, the needle points 38 are rupture the blisters 24 and continued pressure by the pressure plate 16 collapses the blisters 24 and forces medicament through the needle lumens 36 as indicated by the arrows 42.

20

25

15

This pressure also compresses the foam pad 14 as shown against a users skin 44 and into the stratum corneum 46. It should be appreciated that the drawings are not to scale but rather enlarged to illustrate the operation of the multi-site injection system 10.

Although there has been hereinabove described a specific multi-site blister injection system in accordance with the present invention for the purpose of illustrating the manner

in which the invention may be used to advantage, it should be appreciated that the invention is not limited thereto. That is, the present invention may suitably comprise, consist of, or consist essentially of the recited elements. Further, the invention illustratively disclosed herein suitably may be practiced in the absence of any element which is not specifically disclosed herein. Accordingly, any and all modifications, variations or equivalent arrangements which may occur to those skilled in the art, should be considered to be within the scope of the present invention as defined in the appended claims.

WHAT IS CLAIMED IS:

- 1. A multi-site injection system comprising:
- a carrier sheet including a plurality of medicament filled rupturable blisters disposed on an inside surface thereof;
 - a plurality of needles extending from an outside surface of said carrier sheet, each needle being aligned with a corresponding blister and having a lumen for transport of the medicament into a stratum corneum of a user, each needle traversing said carrier sheet and positioned for rupturing the corresponding blister; and
 - a pressure plate disposed on the carrier sheet inside surface for forcing the blister against the needles for causing rupture thereof and forcing the medicament through the needle lumens.
 - 2. The system according to claim 1 wherein said pressure plate is fixed to said carrier sheet.

20


15


10

- 3. The system according to claim 2 further comprising a foam pad disposed on the carrier sheet outside.
- 4. The system according to claim 3 wherein said foam 25 pad covers the needle extending from the carrier sheet outside and is penetrable by said needle.
 - 5. The system according to claim 5 wherein said foam pad is adhered to said pressure plate along a perimeter

thereof for securing the carrier sheet between said foam pad and said pressure plate.

6. The system according to any one of claim 1-5 wherein said medicament comprises botulinum toxin.





F16 Z

